### **SECTION I - IDENTIFICATION**

PRODUCT NAME: Trailerbright
PRODUCT CODE: 636000001-55DR
PRODUCT USE: Aluminum brightener

**COMPANY NAME:** Northland Chemical Supply

COMPANY ADDRESS: 9655 Newton Avenue S., Bloomington, MN 55431

**COMPANY PHONE:** 651-414-6246 **EMERGENCY PHONE:** 800-255-3924

#### SECTION II - HAZARDS IDENTIFICATION

**CLASSIFICATION:** Acute Toxicity (Oral / Inhalation / Dermal): Category 3

Skin Corrosive: Category 1B Skin Damage: Category 1

Specific Target Organ Toxicity (Single Exposure): Category 3

Corrosive to Metals

**HAZARD STATEMENT(S): DANGER:** Toxic if swallowed, in contact with skin, and if inhaled. Causes Severe skin burns and eye damage. May cause respiratory irritation. May be corrosive to metals.

This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS: Wear protective gloves, protective clothing, eye protection, and face shield. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. Store in a well-ventilated place. Keep container tightly closed. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents and container in accordance with local, state, and national regulations. Keep only in original container. Absorb spillage to prevent material damage. Store in a corrosive resistant container with a resistant inner liner.



SYMBOL:

HAZARDS NOT OTHERWISE CLASSIFIED: N/A

# SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Hydrofluoric Acid	7664-39-3	5-10%
Sulfuric Acid	7664-93-9	3-7%
2-Butoxyethanol	111-76-2	1-5%

### **SECTION IV - FIRST AID MEASURES**

**EYES:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

**INGESTION**: If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting.

**INHALATION**: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel

**SKIN:** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

**ACUTE HEALTH HAZARDS:** Causes severe burns.

CHRONIC HEALTH HAZARDS: Possible liver, Kidney, blood damage, dental or skeletal fluorosis

**NOTE TO PHYSICIAN:** The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

# **Safety Data Sheet**

#### SECTION V - FIRE-FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Use appropriate media for surrounding fire.

**UNSUITABLE EXTINGUISHING MEDIA: N/A** 

SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece

operated in a positive pressure demand mode with full body protective clothing when fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Toxic fumes may be generated during a fire.

HAZARDOUS COMBUSTION PRODUCTS: May react with some metals to generate hydrogen gas which can be explosive in air.

### SECTION VI - ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Clean up using cloth or absorbent material. dispose of product-containing wiping cloth or absorbent paper in suitable manner. place waste in proper containers for waste disposal.

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

RCRA STATUS: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

### **SECTION VII - HANDLING AND STORAGE**

HANDLING AND STORAGE: Store in a cool, dry area, keep containers tightly closed and dry. Keep out of reach of children and do not store near food, drink, or animal food. Store locked up.

**INCOMPATIBILITY:** Strong bases and metals

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Hydrofluoric Acid	2 mg/m3	5 mg/m3
Sulfuric Acid	0.2 mg/m3	0.2 mg/m3
2-Butoxyethanol	20 ppm	50 ppm

**ENGINEERING CONTROLS / VENTILATION:** General ventilation recommended.

RESPIRATORY PROTECTION: Wear NIOSH/MSHA approved organic vapor respiratory protection if exposure limits are exceeded.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, Face shield, Gloves, and Synthetic apron.

ADDITIONAL MEASURES: Wash hands and any contaminated clothing immediately after handling. Do not get on clothes or skin.

# **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Blue Liquid

ODOR: Acid odor

**ODOR THRESHOLD: N/D BOILING POINT: N/D** 

**FREEZING POINT:**  $< 32^{\circ}F (0^{\circ}C)$ 

FLAMMABILITY: Not considered a flammable liquid by OSHA (29CFR 1910.1200)

FLASH POINT: N/D

**AUTOIGNITION TEMPERATURE: N/D** LOWER FLAMMABILITY LIMIT: N/D **UPPER FLAMMABILITY LIMIT: N/D** VAPOR PRESSURE (mm Hg): N/D VAPOR DENSITY (AIR=1): 1 **EVAPORATION RATE: N/D** 

**SPECIFIC GRAVITY (H2O=1):** 1.1 @ 77° F (25° C)

**pH**: <1

SOLIDS (%): N/D

**SOLUBILITY IN WATER: 100%** 

PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D

PAGE 2 of 4

# **Safety Data Sheet**

VOLATILITY INCLUDING WATER (%): 96% VOLATILE ORGANIC COMPOUNDS (VOC): 2%

**DIELECTRIC STRENGTH (Volts):** N/A **DECOMPOSITION TEMPERATURE:** N/D

VISCOSITY: N/D

## **SECTION X – STABILITY AND REACTIVITY DATA**

**REACTIVITY:** Chemically active metals and bases

**CHEMICAL STABILITY:** Stable

**CONDITIONS TO AVOID:** Chlorine liberating material. Do not mix with bases, ammonia or other cleaning compounds.

**INCOMPATIBILITY:** Strong bases and metals

HAZARDOUS DECOMPOSITION OR BY-PRODUCT: Oxides of Carbon, Fluorine, and Sulfur.

POSSIBLE HAZARDOUS REACTIONS: Will not occur

#### SECTION XI - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Hydrofluoric Acid(7664-39-3) LD<sub>100</sub> (Oral, Guinea Pig) 80 mg/kg

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**EYES:** Causes burns.

INGESTION: Causes chemical burns, damage to mouth and esophagus with gastrointestinal irritation, nausea, vomiting.

**INHALATION:** Irritating to the respiratory tract

SKIN: Cause redness, pain, and severe burns to skin. Concentrated soluctions cause deep ulcers and discolor skin. Exposure to liquid,

vapor, or mist causes severe burns.

MEDICAL CONDITION AGGRAVATED: May aggravate pre-existing medical conditions.

**ACUTE HEALTH HAZARDS:** Causes severe burns.

CHRONIC HEALTH HAZARDS: Possible liver, Kidney, blood damage, dental or skeletal fluorosis

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: No

#### **SECTION XII - ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION:** Hydrofluoric Acid (7664-39-3) LC<sub>50</sub> 96h (Salmo gairdneri): 51mg/l EC<sub>50</sub> 96h (Mysidopsis):

10.5mg/l

**BIODEGRADABILITY:** This product is biodegradable.

**BIOACCUMULATION:** This product is not expected to bioaccumulate.

**SOIL MOBILITY:** This product is mobile in soil. **OTHER ECOLOGICAL HAZARDS:** None Known

# **SECTION XIII - DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:** Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

**RCRA STATUS:** Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

# **SECTION XIV - TRANSPORTATION INFORMATION**

PROPER SHIPPING NAME: Corrosive Liquid, Acidic, Inorganic, n.o.s.

**HAZARD CLASS/DIVISION:** 8 (6.1) **UN/NA NUMBER:** UN 1760

PACKAGING GROUP: II

**AIR SHIPMENT** 

PROPER SHIPPING NAME: Corrosive Liquid, Acidic, Inorganic, n.o.s.

HAZARD CLASS/DIVISION: 8 (6.1) UN/NA NUMBER: UN 1760

**SHIPPING BY WATER:** 

# **Safety Data Sheet**

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Corrosive Liquid, Acidic, Inorganic, n.o.s.

**HAZARD CLASS/DIVISION:** 8 (6.1) **UN/NA NUMBER:** UN 1760

ENVIRONMENTAL HAZARDS WATER: N/A

# **SECTION XV - REGULATORY INFORMATION**

TSCA STATUS: All Chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Hydrofluoric Acid (7664-39-3)

Reportable Quantity = 100 lbs

SARA 311/312 HAZARD CATEGORIES: Acute Health

SARA 313 REPORTABLE INGREDIENTS: Hydrofluoric Acid - 7664-39-3; Sulfuric Acid-7664-93-9

STATE REGULATIONS: California Proposition 65: None

**INTERNATIONAL REGULATIONS:** All components are listed or exempted.

NFPA HEALTH: 3
NFPA FLAMMABILITY: 0
HMIS HEALTH: 3
NFPA FLAMMABILITY: 0
NFPA REACTIVITY: 1
NFPA OTHER: None
HMIS PROTECTION: D

## **SECTION XVI - ADDTIONAL INFORMATION**

PREPARATION BY: Jonathon Jarvis DATE PREPARED: 12/02/2013 REVISION DATE: 10/23/2015

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.